



Item name: NF880-908 Pro ILDA 6W 30kpps Animation Laser Light

Model number: NF880-908-30k

Item NO.	Red laser	Green laser	Blue laser	Price/USD
NF880-908	R2000mw/638nm	G2000mw/532nm	B4000mw/450nm	\$1350.00
NF880-910	R3000mw/638nm	G3000mw/532nm	B4000mw/450nm	\$1650.00
NF880-G5	/	G5000/532nm	/	\$1685.00

All kinds of OEM/ODM available, please consult our professional sales manager for more details.



Product parameter

Power: AC90-240, 50-60HZ

Rated power: less than 200W

Laser power:8-10W

Laser wavelength: G3000mw/520nm R3000mw/638nm B4000nw/450nm Or G2000mw/520nm R2000mw/638nm B4000nw/450nm

Laser type: imported semiconductor solid-state laser

Beam diameter / divergence angle: <5mm and <2.0mrad

Scanning system: 15KPPS high-speed galvanometer scanning system, scanning angle $\pm 20^\circ$

Laser modulation signal: TTL and analog modulation (choose one)

Control mode: International standard ILDA control / DMX512 signal control (6 / 25CH) / self-propelled / sound controlled / master-slave / SD card playback mode (optional)

Control interface: International ILDA DB25 interface, international universal DXM512 interface, can be connected to American pangolin, German fire Phoenix and other laser software and tiger, pearl, MA and other consoles

Laser pattern: There are 128 laser effect patterns built in the motherboard. If you choose SD card, you can store thousands of patterns and animations.

E-mail: Sunny@nfstagelight.com info@newfeellight.com Web: <http://www.newfeellight.com>

Tel: +86(20) 36391055/1255; Fax: +86(20)3639 3166; Mobile phone No.: +86 13318866359

Factory address: 2/F,Rongxi Industry Zone,NO.35,Rongyin Road, Shijing Town,Baiyun District,Guangzhou,China.



Laser effects: rotate, flip, move, zoom, fade, wave, change color, change size, etc.

Safety and intelligence: Safety is always the first concern: our fixtures equipped with professional “Scanner protection system”, once the scanner is halted, the laser modules will be shut down immediately, and the system will restart automatically in few seconds. This system greatly ensures the safe use of the laser fixtures, also minimize the failure rate of laser equipment. Working environment: indoor (-10-35) degrees, such as

outdoor use needs to add waterproof equipment

Suitable places: bars, night clubs, theaters, TV stations, concerts, stage performances, etc.

Net weight of lamp: 7KG


Lamp size: L450 * W350 * H300mm (high without handle)

Packing material: carton / flight box

Carton size: L470 * W360 * H315mm 1 pack

Air box size: L500 * W400 * H320mm 1 pack

Flight case weight: 6.3KG



Newfeel NF880 Pro ILDA 10W RGB Animation Laser Light

The Newfeel **NF880** show laser projector is a pure diode solution with analog /TTL modulation and a guaranteed output power of 5W, can be controlled with any ILDA laser control software such as Pangolin Quickshow, Pangolin Beyond, German fire Phoenix and other laser software and Avolite, MA and other consoles etc. via external ILDA interface (e.g. FB3). They also have a built-in memory with pre-set patterns (SD card), that can be easily triggered through DMX, automatic mode. **NF880** comes with integrated ShowNET network interface and free laser show software. New Feel has 10 years experiences in stage laser light, the model of **NF880-910A** was made 2 years ago, after years of development, which make it in very good and stable quality, but in very Good price!

Features:

1. Laser source: Full pure laser diode, high stability, long service life
2. 1-6w guaranteed output power
3. high-precision diode arrays provide an excellent beam divergence of less than 2 mrad for a low beam diameter
4. The NF880-908 Laser wavelength G2000mw/520nm R2000mw/638nm B4000nw/450nm for an improved white balance
5. Laser design: There are power protection system devices, dust-proof, moisture-proof, anti-corrosion, anti-rust, and a good sealing system,
6. Made of analog/TTL laser modulation. Users can dimmer the laser brightness linearly to makes the laser light more colorful.
7. Can perform dynamic 3D beam, animation performance, suitable for small size indoor laser show

E-mail: Sunny@nfstagelight.com info@newfeellight.com Web: <http://www.newfeellight.com>

Tel: +86(20) 36391055/1255; Fax: +86(20)3639 3166; Mobile phone No.: +86 13318866359

Factory address: 2/F,Rongxi Industry Zone,NO.35,Rongyin Road, Shijing Town,Baiyun District,Guangzhou,China.



8. DMX mode: pattern selections, laser diode brightness adjustment for analogue modulation, color change, X/Y movement, dimmer, animations rotation, zoom in/out, drawing, etc.
 9. International standard ILDA control / DMX512 signal control (6 / 25CH) / Auto run/ sound active / master-slave / SD card playback mode (optional) self-propelled / sound controlled / master-slave / SD card playback mode (optional)
 10. Control interface: International ILDA DB25 interface, international universal DXM512 interface, can be connected to American pangolin, German fire Phoenix and other laser software and tiger, pearl, MA and other consoles
 11. Laser pattern: There are 128 laser effect patterns built in the motherboard. If you choose SD card, you can store thousands of patterns and animations.
 12. Laser effects: rotate, flip, move, zoom, fade, wave, change color, change size, etc.
- Safety and intelligence: a light-blocking light function, no signal blocking light, etc.

Application: The **NF880** is suitable for demanding show laser applications and graphics projections in clubs, bars and on medium-sized stages and can be used by beginners as well as professionals.

Optional parts

- a, Scanner speed: 25kpps/15kpps /30kpps /40kpps optional
- b, Package: The default package is carton box, Flight case package optional (Our machine size is small
- c, Port : DMX canon port or DMX RJ45 port (if want both ,here also have a convertor for you)



Customized products accepted, please feel free to contact us for the details.